Awakening the Giant

Building a mining camp around the **Sleeping Giant** Mine & Mill





October 2024

FORWARD-LOOKING STATEMENTS



Except for statements of historical facts, some statements contained in this presentation, constitute forward looking statements, including, without limitation, anticipated developments in the Company's operations in future periods and other events or conditions that may occur in the future. These statements are about the future and are inherently uncertain and actual achievements of the Company or other future events or conditions may differ materially from those reflected in the forward-looking statements due to a variety of risks, uncertainties and other factors. Management believes that the expectations reflected in those statements are reasonable, but no assurance can be given that these expectations will prove to be correct. It is recommended not to place undue reliance on forward-looking statements as the plans, intentions or expectations upon which they are based might not occur. Most data are a summary of information found on Sedar+ and the official website of the company. For complement of information, one should look at those as they are the original source of this presentation.

Qualified Person

The scientific and technical content in this presentation has been reviewed and approved by Mr. Pascal Hamelin, ing, President and CEO of Abcourt, who is a "qualified person" within the meaning of NI 43-101

Why Invest in Abcourt?



- **Gold development** through its 100%-owned Sleeping Giant Mine and Mill, which includes an updated resource, a positive Preliminary Economic Assessment, an operational and fully permitted 900 tpd mill with all surface, underground infrastructure in place, and many deposits near the mill belonging to Abcourt.
- Discovering gold at Cartwright East of the Flordin deposit.
- Growing development company in Quebec with ~510 km² of strategic landholdings and 13 early-to-advanced stage gold projects across the major gold district of the Abitibi Greenstone belt in Quebec.
- Many upcoming catalysts, including results from the underground 23,000 m drill program at Sleeping Giant that began in December 2023, stripping and surface drill campaign at Flordin, an updated Mineral Ressource Estimate, and a Prefeasibility Study at Sleeping Giant in 2025.

Experienced Board Focused on Shareholder Value



Loïc Bureau Chairman

- Geological engineer since 2006
- Coordinator of activities of the Mineral Technology Department at Cegep de l'Abitibi-Temiscamingue in Rouyn-Noranda.
- Director since 2022 and Chairman of Abcourt since December 2023



René Branchaud Director

- Lawyer since 1983, and Partner of the law firm Lavery, de Billy L.L.P
- Secretary of Midland Exploration Inc.,
- Director and Secretary of Genius Metals Inc.
- Board member of Abcourt since 2021



Pascal Hamelin CEO & Director

- Mining engineer with 32 years of experience in mining and project management
- Has years of experience in underground precious metal operations
- Holder of a degree in mining engineering and member of the Ordre des ingénieurs du Québec (Ing.) and of the Professional Engineers Ontario (P. Eng)
- Joined Abcourt in April 2022 as CEO

Noureddine Mokaddem Director

- Mining engineer with 40 years of professional experience in Africa and North America.
- Successfully managed all stages of implementation in several projects, from feasibility studies to start-ups of production units of different scales, including maintenance of complex units.
- Director and Officer of the mining company Aya Gold & Silver Inc., listed on the Toronto Stock Exchange from 2010 to 2020.
- Board member of Abcourt since July 2024



François Mestrallet Director

 A veterinarian and member of the "École nationale vétérinaire" of Lyon, France since 1980

MINES

- Since 1983, he has been the President of Demavic, a private company located in France and manufacturing materials for animals
- Abcourt Board member since 2013



Lise Kistabish Director

- Graduated from l'École nationale d'administration publique (ENAP) in public management in an indigenous context.
- Over 25 years experience in management, and since May 2019, assumes the role of Director of training, employment and social development for the Council of the Abitibiwinni First Nation.
- Board member of Abcourt since December 2023

Jasmine Hinse Director



- Bachelor's degree in Law and a Notarial Law diploma from Laval University
- Completed the university certification program in corporate governance from the College of Corporate Directors of Laval University
- Joined the board of Abcourt in August 2023

Board of Directors with <u>>200 years</u> of combined mining, capital markets & corporate governance experience

abcourt.ca

Experienced Team of Mine Builders & Operators



Pascal Hamelin, ing. President & CEO



- Mining engineer with 33 years of experience in project management, and operating mines.
- Has years of experience in underground precious metal operations
- Holder of a degree in mining engineering and member of the Ordre des ingénieurs du Québec (Ing.) and of the Professional Engineers Ontario (P. Eng)

Christine Lefebvre (CPA, CA) CFO

- Accountant with over 10 years experience in public listed companies
- Has experience in auditing, internal control, and accounting
- Holder of a degree in accounting, and a degree in law, and member of the Ordre des CPA du Québec



Robert Gagnon, Géo. VP Exploration

- Geologist with over 25 years experience in exploration, mineral processing, and education
- President of Pershimex from 2013 until May 2023 when acquired by Abcourt.
- Holder of a degree in geology and member of the Ordre des Géologues du Québec (géo.)

Gilles Landry General Manager

- Mining technician with 34 years experience in mining operation.
- More than 20 years expertise in precious metal mining and processing management.

Capital Structure

Capital Structure

716,579,825
327,978,322
31,497,600
1,076,055,747

3M daily volume avg: +/- 400,000

Cash position: ± 1,000,000 CAD as of 2024-03-31

Linstitutional Investors 2% HNW Investors 13%

Retail Investors

Analyst Coverage

- Red Cloud Securities
- Couloir Capital
- Eric Lemieux

Institutional Investor


• NQ Investissement Minier (Qc Govt.)



Officers &

Leading Quebec Project Portfolio

- ~510 km² of strategic landholdings in major gold districts in Quebec
- Sleeping Giant mine with central 900 tpd fully functional and permitted mill
- 11 early-to-advanced stage gold exploration projects
- 2 Zn-Ag-Pb deposits
- 1 Cu deposit



Sleeping Giant: Positive PEA leading to a Pre-Feasibility



Base Case Scenario : Gold Price : 1800 \$ US/oz, Exchange Rate : 1.00 USD = 1.30 CAD, Discount Rate : 5 %

•	$\mathrm{NPV}_{\mathrm{5\%}}$ after taxes and mining duties (M CAD)	54.4
•	IRR after taxes and mining duties (%)	33.3
•	Initial Capital Costs (preproduction) (M CAD)	42.0
•	Average Annual Production (oz)	30,100 @ avg 340 tpd
•	Mill Net Recovery (%)	96.7
•	Average Diluted Gold Grade (g/t Au)	<mark>8.10</mark>
•	Life of Mine (excluding preproduction) (years)	5.8
•	Gold Produced (oz)	181,300
•	All In Sustaining Cost (USD/oz)	1,120
•	Total Unit Operating Cost (CAD/tonne milled)	321
•	Operating Cashflow (M CAD)/Year	30



High Gold Price Environment (2,100USD)

•	NPV5% after taxes (M CAD)	90.6

IRR after taxes and mining duties (%)
 49.9

Next Steps

- Ongoing resources modelling,
- Ramp up mining, build the sleep camp
- Prefeasibility Study targeted for 2025

Sleeping Giant: Infrastructure Summary



High-grade historical gold mine

- Over 1987 to 2014, 3.36M tonnes mined at 10.29 g/t Au to produce 1,073,111 oz Au
- Average historical recovery rate of 96.7%
- Shaft with access to 22 mine levels to depth of 1,175 m. Past development, electrical systems and ventilation systems are in good working condition



All infrastructure in place & operational

- CIP mill with an optimal rate of 800 tpd processed ore from the Elder Mine from August 2016 to August 2022. Now processing material from Sleeping Giant since May 2024.
- Tailings facilities are operational with long-term capacity
- Only 85 km north of mining-friendly town of Amos in Abitibi
- 1 km from the paved highway, and connected to Hydro-Quebec power grid



MINES

Fully permitted operation

- Mining leases and environmental certificates of authorization are in good standing for a maximum of 900 tpd gold mine
- Environmental bond is in place and cover 100% of closure cost
- The mine is supplied with 100% electricity coming from Hydro-Quebec green hydro-electricity.

Sleeping Giant: Demonstrating Resource Upside




- Modeled 846 distinct gold structures from 1.19 million metres of drilling
 - Many structure yet to be fully explored
- Maintained indicated resources while increased inferred resources by 212,800 oz
 - 700% increase from the 2018 estimate
- 98% of this MRE is at a depth accessible from the existing shaft
- Conservative estimate as it excludes:
 - Residual pillars
 - 5 m buffer zone around existing infrastructure, 50 m crown pillar and historical production

December 2022 NI 43-101 Compliant Mineral Resource Estimate (MRE)

Category	Tonnes	g/t Au	Gold (oz)
M&I resources	755,000	7.14	173,300
Inferred resources	884,000	8.74	248,300

See slide 9 for the notes to the 2022 MRE

Section view looking North of the 846 gold structures within the deposit





Sleeping Giant Mine: Notes to the 2022 MRE



Notes to the Sleeping Giant 2022 MRE


- i. The independent and qualified persons for the 2022 MRE, as defined by NI 43-101 are Olivier Vadnais-Leblanc, P. Geo. and Eric Lecomte, ing, all from InnovExplo Inc.
- ii. These mineral resources are not mineral reserves because they do not have demonstrated economic viability. The results are presented undiluted and are considered to have reasonable prospects of economic viability. The 2022 MRE follows the CIM Standards.
- iii. The estimate encompasses 846 mineralized lenses that were modelled using a minimal geological width of 0.5m using Genesis software.
- iv. A density value of 2.85 g/cm3 (based on measurements and mine et mill reconciliation) was assigned to all mineralized zones.
- v. High-grade capping supported by statistical analysis was done on composites data and established at 95 g/t Au for all mineralized zones. Composites (0.5 m) were calculated within the zones using the grade of the adjacent material when assayed or a value of zero when not assayed.
- vi. The exigence of a Reasonable Prospect of Eventual Economical Extraction is fulfilled by the use of cut-off grades based on reasonable mining parameters and locally constrained within Deswik Stope Optimizer shapes using a minimal mining width of 1.7 m for both potential methods. It is reported at a rounded cut-off grade of 4.25 g/t Au using the long-holes (LH) method, and 5.0 g/t Au, using the Room and Pillars (R&P) method. The cut-off grades were calculated using the following parameters: mining cost = C\$213.96/t (LH) to C\$261.56/t (R&P); processing cost = C\$35.10/t; G&A = C\$22.09/t; gold price = US\$1,650.00/oz and USD:CAD exchange rate = 1.30. The cut-off grades should be re-evaluated in light of future prevailing market conditions (metal prices, exchange rates, mining costs etc.).
- vii. The estimate was completed using a sub-block model in Surpac 2022. A 4m x 4m x 4m parent block size was used (1m x 1m x 1m sub-blocked). Grade interpolation was obtained by Inverse Distance Squared (ID2) using hard boundaries.
- viii. The mineral resource estimate is classified as Indicated and Inferred. The Inferred category is defined with a minimum of two (2) drill holes within the areas where the drill spacing is less than 75 m and shows reasonable geological and grade continuity. The Indicated mineral resource category is defined with a minimum of three (3) drill holes within the areas where the drill spacing is less than 30 m and shows reasonable geological and grade continuity.
- ix. The number of metric tonnes was rounded to the nearest hundred, following the recommendations in NI 43-101 and any discrepancies in the totals are due to rounding effects. The metal contents are presented in troy ounces (tonnes x grade / 31.10348) rounded to the nearest hundred.
- x. The independent and qualified persons for the 2022 MRE are not aware of any known environmental, permitting, legal, political, title-related, taxation, socio-political, or marketing issues that could materially affect the Mineral Resource Estimate.







abcourt.ca






Looking North-West





New focus in the Abitibi Camp near the Flordin Deposit





- The Flordin deposit was explored by Cambior in the 1980's
- The Cartwright area was discovered by prospectors in the 1930's
- Both deposits are along the Cameron shear.
- The sector is accessible by road.
- Located 35 km north of Lebel-sur-Quévillon, and less than 200 km from Val-d'Or

Flordin-Cartwright: We found gold





abcourt.ca

Flordin-Cartwright: New Gold Discovery in July






Flordin-Cartwright: Expanding the discovery in October





abcourt.ca

Flordin-Cartwright: Already some drill results from 1988 and 2023 along a 2km corridor



A two kilometres Corridor

- Cambior identified a different mineralization from previous drilling in 1988 in hole S-158 late in a drill campaign.
- Abcourt identified the same type of mineralization in hole FL-23-265, 1 km East of S-158.
- Abcourt exposed the same type of mineralization another 1 km East from FL-23-265 with the ongoing stripping campaign.

Flordin-Cartwright: Exposing a gold zone over 200 metres long






Next Steps

- Complete the channel sampling campaign along a 200 m strike in October 2024.
- Drill the extension of hole S-158 to the East. November 2024 – January 2024




abcourt.ca



abcourt.ca








abcourt.ca






Flordin Deposit – Gold grade interpolant – Cross sections looking West



abcourt.ca




Flordin Deposit – Gold grade interpolant – Long section looking North



abcourt.ca

Flordin-Cartwright: A lot of consolidation around Flordin





Flordin Deposit: Resources near the Sleeping Giant Mill



- Sub-vertical deposit beginning with open pit on surface with underground extension evaluated with long hole mining parameters.
- The Flordin deposit is 85 km East of the Sleeping Giant Mill.
- This MRE reflects the results of approximately 73,400 m of drilling, of which 34,900 m were carried out from 2010 to 2020.
- The MRE was carried out by the firm InnovExplo of Val d'Or.



May 2023 NI 43-101 Compliant Mineral Resource Estimate (MRE)

Potential open pit mining (cut off at 0,5 g/t Au)		Potential long holes mining (cut off at 3,1 g/t Au)		Potential room & pillars mining (cut off at 4,6 Au)				
Tonnes	Grade (g/t Au)	Ounces Au	Tonnes	Grade (g/t Au)	Ounces Au	Tonnes	Grade (g/t Au)	Ounces Au
Measu	Measured Resources							
86,000	2.58	7,100	0	0.00	0	0	0.00	0
Indicated Resources								
1,444,000	2.15	99,900	227,000	3.75	27,500	1,000	5.46	200
Measu	Measured & Indicated Resources							
1,530,000	2.18	107,000	227,000	3.77	27,500	1,000	6.22	200
Inferre	Inferred Resources							
244,000	2.38	18,600	323,000	3.83	39,800	8,000	5.16	1 300

See slide 15 for the notes to the MRE

MRE total

- 134,700 ounces of Measured and Indicated Resources in 1,758,000 tonnes at an average grade of 2.38 g/t Au
- 59,700 ounces of Inferred Resources in 575,000 tonnes at an average grade of 3.23 g/t Au

Flordin Deposit: Notes to the 2023 MRE




Flordin Deposit: Notes to the 2023 MRE

- 1. The effective date of the 2023 MRE is May 15, 2023.
- 2. The independent and qualified persons (as defined by NI 43-101) for the 2023 MRE are Olivier Vadnais-Leblanc, P.Geo., Carl Pelletier, P.Geo., Eric Lecomte, P.Eng., and Simon Boudreau, P.Eng., from InnovExplo Inc,
- 3. The mineral resource estimate follows the CIM Definition Standards (2014) and follows the CIM MRMR Best Practice Guidelines (2019).
- 4. These mineral resources are not mineral reserves because they do not have demonstrated economic viability. The results are presented undiluted and are considered to have reasonable prospects for eventual economic extraction (RPEEE).
- 5. The estimate encompasses 364 mineralized veins and structures developed using Genesis and interpolated using LeapFrog Edge.
- 6. 1 m composites were calculated within the mineralized zones using the grade of the adjacent material when assayed or a value of zero when not assayed. High-grade capping supported by statistical analysis was done on composites and was set to 25 g/t Au.
- 7. The estimate was completed using a sub-block model in Leapfrog Edge. A 10m x 2m x 2m (X,Y,Z) parent block size and a 1.25m x 0.25m x 0.25m (X,Y,Z) sub block size was used.
- 8. Grade interpolation was obtained by Inverse Distance Squared (ID2) using hard boundaries.
- 9. A density value of 2.8 g/cm3 was assigned to all mineralized zones.
- 10. Mineral resources were classified into Measured, Indicated and Inferred. Measured resources are defined within a distance of 8m from underground or surface channel and from a minimum of three (3) drill holes in areas where the drill spacing is less than 50 m. Indicated resources are defined with a minimum of three (3) drill holes in areas where the drill spacing is less than 50 m. Indicated resources are defined with a minimum of three (3) drill holes in areas where the drill spacing is less than 50 m. The Inferred category is defined with two (2) drill hole in areas where the drill spacing is less than 75 m where there is reasonable geological and grade continuity.
- 11. The requirement of a reasonable prospect of eventual economic extraction is satisfied by having cut-off grades based on reasonable parameters for potential surface and underground extraction scenarios, minimum widths and constraining volumes. The estimate is presented for potential underground scenarios (realized in Deswik) over a width of 1.7m for blocks 16m high by 16m long at a cut-off grade of 3.10 g/t Au for the long-hole method (LT) and 4.60 g/t Au for the conventional room and pillar (RP) method. Cut-off grades reflect the actual geometry and dip of the mineralized envelopes. The pit of the 2023 mineral resource estimate is locally constrained by an optimized surface in Whittle using a rounded cut-off grade of 0.5 g/t Au. Cut-off grades reflect the actual geometry and dip of the rock and 30° in the overburden, a pit mining cost = C\$4.65/t, an underground mining cost of C\$169.50/t for LT and C\$262.00/t for CP, a processing cost of C\$21.50/t, general and administrative costs of C\$12.00/t, selling costs of C\$5.00/oz, a price of gold of US\$1,650 per ounce, a USD/CAD exchange rate of 1.33 and a mill recovery rate of 91.7%. Cut-off grades should be re-evaluated in light of future market conditions (metal prices, exchange rates, mining cost, etc.).
- 12. The number of metric tonnes was rounded to the nearest thousand, following the recommendations in NI 43-101 and any discrepancies in the totals are due to rounding effects. The metal contents are presented in troy ounces (tonnes x grade / 31.10348) rounded to the nearest hundred. Numbers may not add up due to rounding.
- 13. The independent and qualified persons for the 2023 MRE are not aware of any known environmental, permitting, legal, political, title-related, taxation, socio-political, or marketing issues that could materially affect the Mineral Resource Estimate.

Discovery Deposit: Building Resources near the Sleeping Giant Mill



- Sub-vertical deposit beginning on surface with underground extension
- The Discovery deposit is 80 km East of the Sleeping Giant Mill.
- This MRE reflects the results of approximately 158,000 m of drilling, of which 35,551 m were carried out from 2010 to 2018.
- The MRE was carried out by the firm InnovExplo of Val d'Or.



April 2023 NI 43-101 Compliant Mineral Resource Estimate (MRE)

Discovery Deposit						
Underground Mineral Resources (at 3 g/t Au cut-off)						
Classification Tonnes Grade Ound						
Classification	(t)	(g/t Au)	(oz Troy Au)			
Indicated	955,000	5.09	156,300			
Inferred	1,573,000	5.21	263,400			
Open-Pit Min	eral Resources (at 0.5 g/t Au cut-o	ff)			
	Tonnes	Grade	Ounces			
Classification	(t)	(g/t Au)	(oz Troy Au)			
Measured	8,000	3.44	900			
Indicated	223,000	2.86	20,500			
Total Measured+Indicated	231,000	2.88	21,400			
Inferred	397,000	3.15	40,300			
Discovery Denesit Total Resources						
Discovery Deposit Total Resources						
Total Measured+Indicated 1,186,000 4.66 177,						
Total Inferred	1,970,000	4.80	303,700			

See slide 13 for the notes to the MRE

Discovery Deposit: Notes to the 2023 MRE



Discovery Deposit: Notes to the 2023 MRE

- 1. The effective date of the 2023 MRE is Mars 28, 2023.
- 2. The independent and qualified persons (as defined by NI 43-101) for the 2023 MRE are Olivier Vadnais-Leblanc, P.Geo., Simon Boudreau, P.Eng., and Eric Lecomte, P.Eng. from InnovExplo Inc,
- 3. The mineral resource estimate conforms to the CIM Definition Standards (2014) and follows the CIM MRMR Best Practice Guidelines (2019).
- 4. These mineral resources are not mineral reserves, because they do not have demonstrated economic viability. The results are presented undiluted and are considered to have reasonable prospects of economic viability.
- 5. The estimate encompasses 34 mineralized solids developed using LeapFrog Geo.
- 6. 1 m composites were calculated within the mineralized zones using the grade of the adjacent material when assayed or a value of zero when not assayed. High-grade capping supported by statistical analysis was done on composites and was set to 35 g/t Au.
- 7. The estimate was completed using a sub-block model in Leapfrog Edge. A 16m x 1m x 16m (X,Y,Z) parent block size and a 4m x 1m x 4m (X,Y,Z) sub block size was used.
- 8. Grade interpolation was obtained by Inverse Distance Squared (ID2) using hard boundaries.
- 9. A density value of 2.82 g/cm³ was assigned to all mineralized zones.
- 10. Measured resources are defined inside a distance of 8m from an underground or surface channel within existing indicated resources. Indicated resources are defined with a minimum of two (2) drill holes within the areas where the drill spacing is less than 50m. The Inferred category is defined with a (1) drill holes within the areas where the drill spacing is less than 150 m. Data must show reasonable geological and grade continuity.
- 11. The Underground 2023 MRE is locally constrained within Deswik Stope Optimizer shapes using a minimal mining width of 1.7 m for a potential Long-Hole underground mining method (potential block of 16m X 16m), with no maximum width. It is reported at a rounded cut-off grade of 3 g/t Au using the long-hole mining method. The open pit 2023 MRE is locally constrained within Whittle surfaces using a rounded cut-off grade of 0.5 g/t Au. The cut-off grades were calculated using the following parameters: mining cost Open Pit = C\$4.65/t; mining cost Underground = C\$169.50/t; processing cost = C\$21.50/t; G&A = C\$12.00/t; selling costs = C\$5.00/oz; gold price = US\$1,650.00/oz; USD:CAD exchange rate = 1.33; and mill recovery = 96.0%. The cut-off grades should be re-evaluated considering future prevailing market conditions (metal prices, exchange rates, mining costs etc.).
- 12. The number of metric tonnes was rounded to the nearest thousand, following the recommendations in NI 43-101 and any discrepancies in the totals are due to rounding effects. The metal contents are presented in troy ounces (tonnes x grade / 31.10348) rounded to the nearest hundred. Numbers may not add up due to rounding.
- 13. The independent and qualified persons for the 2023 MRE are not aware of any known environmental, permitting, legal, political, title-related, taxation, socio-political, or marketing issues that could materially affect the Mineral Resource Estimate.



Abcourt-Barvue Zn-Ag Project 100% owned

Location	 4,755 ha property located near Barraute, 60 km north of Val-d'Or Easily accessible via existing access roads and Highway 397
History	 Zinc first discovered on the Barvue claims in 1950
	 Open pit mine operated from 1952 to 1957. Total of 5.0M tonnes of 2.98% Zn and 38.74 g/t Ag mined
	 Underground mine operated from 1985 to 1990 by Abcourt Mines. Total of 632,319 tonnes of 5.04% Zn and 131.65 g/t Ag mined

Abcourt-Barvue Project: Historical Resource Estimate

Category	Туре	Tonnes	% Zn	g/t Ag	ZnEq
M&I resources	Combined	8,083,000	3.06	55.45	N/A
Inferred resources	Combined	2,037,000	2.89	114.16	N/A

Historical Resources were estimated in a NI 43-101 technical report titled "NI 43-101 Mineral Resources Report for the Abcourt-Barvue Property" with an effective date of February 28, 2014 and prepared by Jean-Pierre Bérubé (geological consultant and P.Eng). Resources were calculated based on US\$0.96/lb zinc price, US\$27.55/oz silver price and US\$1.00:C\$1.00 exchange rate. Cut-off grades were 1.99% ZnEq for open pit resources and 4.51% for underground resources

Vendôme Property: Historical Resource Estimate

Category	Tonnes	% Zn	g/t Ag	% Cu
M&I Resources	712,222	7.50	60.11	0.63
Inferred Resources	305,769	4.30	36.77	0.49

Resources were estimated in a NI 43-101 technical report titled "NI 43-101 Resources Evaluation Report for the Vendôme Property" with an effective date of February 12, 2013 and prepared by Jean-Pierre Bérubé (geological consultant and P.Eng). Resources were calculated using the following parameters:

Density: 3.60 tonnes/m³

Minimum true width: 1.50 m with no cuts on high gold, silver, copper and zinc values

Minimum cut-off of C\$55/tonne or 4.53% ZnEq

2024-2025 Objectives



- 23,000 m expansionary UG drill program at Sleeping Giant (Began in December 2023)
- Update mineral resources estimate, and Prefeasibility (planned for S2 2025)
- Develop UG infrastructures, mine and process material from Sleeping Giant (began in April 2024)

Advance Cartwright (South and East of Flordin)

- Stripping underway to determine the size of the Cartwright zone on surface (Began in June 2024)
- Initiate a drill program immediately after the stripping campaign.

Corporate initiate

• Obtain the custom milling permit at Sleeping Giant to become the central hub in the region.

Why Abcourt?

Contact Us

- 475, avenue de l'église, Rouyn-Noranda, Quebec
- info@abcourt.com

Investor Relations:

Dany.Cenac-Robert@ReseauProMarket.com

Growing development company

Resource growth potential

Near term gold producer

Many upcoming catalysts



32

2

3



TSX-V: ABI

Appendices

Sleeping Giant Mill: Process Flowsheet







Figure 17.1 - Processing plant flowsheet

InnovExplo - Expertise minière

abcourt.ca

Sleeping Giant: Block Model, Plan view



r=0.8 g=0.8 b=0.8	0.00 -> 1.00
r=0.6 g=0.6 b=0.6	1.00 -> 2.00
cyan	2.00 -> 5.00
r=0.2 g=0.2 b=1.0	5.00 -> 10.00
r=0.2 g=1.0 b=0.2	10.00 -> 25.00
yellow	25.00 -> 50.00
r=1.00 g=0.00 b=0.00	50.00 -> 9999.00

InnovExplo - Expertise minière

abcourt.ca

MINE GÉANT DORMAN

Courville Property



Pershing Manitou Project

- 124 km southeast of Sleeping Giant Mill and 65 km northeast of Val-d'Or
- Subject to numerous drill programs and limited production over 1930s to 1960s
- January 2022 resource estimate based on 28 surface diamond drill holes totaling 3,955 m
- 12 zones with true thickness of at least 2.0 m over an area of 150 m long, 150 m wide and to a depth of 180 m
- Ministère de l'Energie et des Ressources Naturelles du Québec approved a 5,000-tonne bulk sample (7.2 g/t Au) from measured resources within a pit shell.
- Mineralized materials were extracted in the Fall 2022.
- Bulk sample is being processed at the Sleeping Giant mill since November 2023. The bulk sample is expected to be completed in January 2024.

Pershing-Manitou NI 43-101 Resource Estimate

Туре	Category	Tonnes	g/t Au	Gold (oz)
Open pit	M&I resources	9,600	6.93	2,140
	Inferred resources	500	0.62	10
Underground	M&I resources	23,300	4.02	3,010
	Inferred resources	3,000	2.90	280

See NI 43-101 technical report titled "NI 43-101 Technical Report and Mineral Resource Estimate for the Pershing-Manitou Project" prepared by Kenneth Williamson (P.Geo) and Matthew DeGasperis (P.Geo) for Pershimex with an affective date of September 7, 2021. Cut-off grades of 0.50 g/t Au for open pit resources and 2.00 g/t Au for underground resources

